

Message

From: Bohnenblust, Eric [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0331C49AEB404367AD226F6BD10D795D-BOHNENBLUST]
Sent: 4/24/2020 5:34:52 PM
To: Nathan Rose [nathan.rose@oxitec.com]; Matthews, Keith [KMatthews@wiley.law]; Mendelsohn, Mike [Mendelsohn.Mike@epa.gov]
CC: Kevin Gorman [Kevin.Gorman@oxitec.com]
Subject: RE: Revisions to Section G and the Draft Label

Nathan,

Thanks for the additional clarification.

Best.

Eric Bohnenblust, Ph.D
Senior Biologist
Emerging Technologies Branch (ETB)
Biopesticides and Pollution Prevention Division (BPPD)
Phone: 703-347-0426
Email: Bohnenblust.eric@epa.gov

From: Nathan Rose <nathan.rose@oxitec.com>
Sent: Friday, April 24, 2020 1:32 PM
To: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>; Matthews, Keith <KMatthews@wiley.law>; Mendelsohn, Mike <Mendelsohn.Mike@epa.gov>
Cc: Kevin Gorman <Kevin.Gorman@oxitec.com>
Subject: RE: Revisions to Section G and the Draft Label

Hi Eric

Just to help with clarity – to fit into the acreage requests that now include the untreated control areas, we’ve made the following changes to the trial distribution among FL and TX:

Ex. 5 Deliberative Process (DP)

Kind regards
Nathan

From: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>
Sent: 24 April 2020 18:27
To: Matthews, Keith <KMatthews@wiley.law>; Mendelsohn, Mike <Mendelsohn.Mike@epa.gov>
Cc: Nathan Rose <nathan.rose@oxitec.com>; Kevin Gorman <Kevin.Gorman@oxitec.com>
Subject: RE: Revisions to Section G and the Draft Label

Keith,

Thanks for the update, we appreciate the quick response.

Best.

Eric Bohnenblust, Ph.D
Senior Biologist
Emerging Technologies Branch (ETB)
Biopesticides and Pollution Prevention Division (BPPD)
Phone: 703-347-0426
Email: Bohnenblust.eric@epa.gov

From: Matthews, Keith <KMatthews@wiley.law>
Sent: Friday, April 24, 2020 1:00 PM
To: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>; Mendelsohn, Mike <Mendelsohn.Mike@epa.gov>
Cc: 'Nathan Rose' <nathan.rose@oxitec.com>; Kevin Gorman <Kevin.Gorman@oxitec.com>
Subject: Revisions to Section G and the Draft Label

Eric and Mike,

As we discussed earlier, Oxitec agrees to revise the Section G and draft label for the OX5034 EUP application (93167-EUP-E) as follows:

Ex. 5 AC/AWP/DP

We will forward the revised documents to your attention as soon as possible, and will submit via CDX shortly.

Thanks,

wiley

Keith A. Matthews
Attorney at Law
kmatthews@wiley.law

Wiley Rein LLP • 1776 K Street NW • Washington, DC 20006
o: 202.719.4462

ED_006741_00004590-00002

[Download V-Card](#) | [wiley.law](#) | [The WELL Blog](#)

Note: The firm's domain has changed to wiley.law. To update my contact information, please download my [vCard](#)

NOTICE: This message (including any attachments) from Wiley Rein LLP may constitute an attorney-client communication and may contain information that is PRIVILEGED and CONFIDENTIAL and/or ATTORNEY WORK PRODUCT. If you are not an intended recipient, you are hereby notified that any dissemination of this message is strictly prohibited. If you have received this message in error, please do not read, copy or forward this message. Please permanently delete all copies and any attachments and notify the sender immediately by sending an e-mail to Information@wiley.law